

**INVENTOR:**

**TITLE:**

# A System and Method for Improving the Effectiveness of Web Advertising

## BACKGROUND OF THE INVENTION

### Field of Invention

The present invention generally relates to advertising over a network such as the Internet. More specifically, the present invention is related to a method and system for improving the effectiveness of Internet advertising.

### Discussion of Prior Art

On-line advertising systems provide advertisements (ads) to users in a variety of formats such as banners that may be displayed at the top or bottom of a web page on the user's browser. Such ads may include scrolled information containing images, texts or objects that change with time. The banner ad serves as an HTML (Hypertext Markup Language) link that allows the user to be linked to a specific web page if the user clicks on the banner ad. The browser accomplishes this by generating a HTTP (Hypertext Transfer Protocol) message using information encapsulated in the banner to send a request for an object with a specific URL (Uniform Resource Locator), for example, the advertisers home page.

Currently, advertising on web pages is essentially related to the content of the page. The returned page may be unique in the sense that it is composed especially for the user and the system decides which advertisements to return together with the page. Due to limited space on the displayed web page and the fact that a web page is only viewed for a short period of time, advertisers try to change the displayed ads quickly. The ads can either be part of one dynamic "gif" (Graphic

Interchange Format) file or an applet which fetches more ads. The problem with this method is that some times a user may indeed be interested in one of the ads but misses it and then has no way of returning to it. The problem is even more severe when the user goes to a first URL, sees an ad there, then goes to a second URL, and then returns to the first URL. By the time the user returns to the first URL, the ad has been replaced and leaves no opportunity for retrieval.

The present invention overcomes the above mentioned drawbacks by providing a method and system that increases the effectiveness of advertising by allowing the user to return and request previously displayed ads that are of interest.

### SUMMARY OF THE INVENTION

A system and method for improving the effectiveness of web advertising by allowing a user to return and request a previously displayed ad that appeals to the user. Generally, the system employs an intelligent browser cache maintained within a user's terminal to keep web pages in cache and maintains information about hyperlinks contained therein. Furthermore, the system allows for storing ads in a bookmark memory without clicking on the ads. The bookmark memory is either permanently maintained or temporarily stored for a predetermined period of time in the user's terminal to allow the user the ability to view stored ads at a later time. The system further includes an algorithm for computing the differences between previously viewed pages stored in the intelligent browser cache and a new page (currently viewed page) in terms of their hyperlinks. Presented to the user, in separate windows, are ads from both new and previously viewed (old) pages to aid the user in deciding whether to click and visit a different page or to save the displayed page for later use. Finally, the system permits the user to request ads previously displayed at a particular position by pointing (with a mouse) to the current ad at such a location.

### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 illustrates the general environment for on-line advertising system.

Figure 2 illustrates user's terminal.

Figure 3a illustrates a flow diagram depicting steps for retrieving and computing the differences between the new and old web pages.

Figure 3b illustrates the outline of a web page showing a plurality of ad windows.

Figure 4 illustrates a flow diagram of identifying an expiration date.

### DESCRIPTION OF THE PREFERRED EMBODIMENTS

While this invention is illustrated and described in a preferred embodiment, the device may be produced in many different configurations, forms and materials. There is depicted in the drawings, and will herein be described in detail, a preferred embodiment of the invention, with the understanding that the present disclosure is to be considered as a exemplification of the principles of the invention and the associated functional specifications and is not intended to limit the invention to the embodiment illustrated. Those skilled in the art will envision many other possible variations within the scope of the present invention.

Figure 1 illustrates a general environment 100 for the present invention. Internet 106 comprises a group of networks that are interconnected so that they appear to be one continuous large network. Individuals can access remote servers to obtain information over the Internet with a conventional browser contained within user's terminal 102 and an associated ISP (Internet Service

Provider) **104**. Exemplary ISP **104** may be, for example, on-line computer services/portals such as AOL®, Compuserve®, Netcom®, Msnetwork®, Yahoo®, etc., that provide e-mail; forums; software downloads; news; weather; sports; financial; or other like information; e-commerce; on-line gaming; or other features over the Internet to its subscribers. Web site **116** with at least one web server (not shown) is in communication with the Internet and responds to a request from user's terminal **102** via ISP **104**. Responses may include, for example, but not limited to files or information from at least one database (not shown) contained within the web site **116**. Furthermore, web site **116** typically is linked to ad web site **108**. Ad web site **108** includes ad server **110** that retrieves one or more ads from ad database **112** in the form of a banner or other equivalent types of Internet ads that contain a HTML link. The ad is to be displayed when a page of information such as file or database information is returned to user terminal **102**. Ad web site **108** further includes ad manager **114** that controls and runs ad server **110** and ad database **112**. Controlling ad server **110** and ad database **112** includes, but is not limited to, the following functions: receiving statistical information from ad server **110** which indicates what ads have actually been served, profiling intelligent selection, configuring the statistics from the ad server and providing such information to ad database **112**. Additionally, in an alternate embodiment, ad web site **108** is accommodated within web site **116**.

Figure 2 further defines the user's terminal **102** as including Internet communication software **201** such as offered by Netscape® which comprises browser **202**. Also included with user's terminal **102** is intelligent browser cache **204** and bookmark memory **206**. Intelligent browser cache

204 may be, for example, but not limited to the following in nature: real, virtual or physical. In addition, the present invention should not be limited based on the location of intelligent browser cache 204. The intelligent cache system employed by browser 202 stores web pages in cache and also maintains information about hyperlinks contained in these pages. Moreover, the intelligent

5 cache system pays attention to (monitors) pages that are designed by their authors to refresh each time they are requested or at short time intervals. Figure 4 and the corresponding discussion below describe how the system pays attention to author's pages. The META element of an HTML document is often used to identify an expiration date 400. For example the following META declaration:

10 <META http-equiv="Expires" content="Mon, 1 May 2000 01:00:00 GMT">

can be used by caches to determine when to fetch a fresh copy of the associated document. Another example of a META declaration is:

15 <META http-equiv="refresh" content="60">

which is often used by the browser to repeatedly fetch a fresh copy of the associated document every 60 seconds.

A page that does not expire and does not need to be refreshed is placed in cache, and so are all the references and ads included in that page. Thus, when retrieved from cache, such a page

20 displays the same ads. A clickable ad is described in the HTML source file as in the following example:

<A HREF =

"http://ad.doubleclick.net/jump/homepgtable.av.com/fullbanner;sz=468x60;ord=130914492?">

<IMG SRC =

"http://ad.doubleclick.net/ad/homepgtable.av.com/fullbanner;sz=468x60;ord=130914492?"border=0

5 height=60 width=468>

</A>

The browser displays the image whose URL is:

http://ad.doubleclick.net/ad/homepgtable.av.com/fullbanner;sz=468x60;ord=130914492?

If the user clicks the mouse on the displayed ad, the browser fetches and displays the image whose URL is:

http://ad.doubleclick.net/jump/homepgtable.av.com/fullbanner;sz=468x60;ord=130914492

15 The system of present invention recognizes pages that need to be refreshed **402** and preserves their ads in cache **404** in case the user wishes to see them later.

20 Furthermore, the intelligent cache system keeps and indexes the hyperlinks contained in such pages. While the user navigates through a web site, ads contained within the web pages are automatically saved to bookmark memory **206** without adding, clicking, or indicating to view any particular ad. This feature creates a significant advantage over conventional browsers in the sense that it allows for an individual that may not want to interrupt the main task being performed, but would like to see the ad later and navigate to a new page. Bookmark memory **206** is permanently

maintained or temporarily stored for a predetermined period of time, and enables the user to view all the ads that were previously saved. The bookmark memory is maintained as a file, which is stored in the disk drive of the user's computer system. It is up to the user to choose for how long to keep the ads. The decision reflects the tradeoff between the desire to be able to retrieve as many ads as possible and the limited storage space. An illustration of the detection of changes in web pages is described in Figures 3a-3b.

Figure 3a illustrates a flow diagram **300** depicting steps for retrieving and computing the difference between new and old web pages. In step **302**, an individual visits a first URL 1 via Internet communication software **201** as described above in figures 1&2, the system proceeds to store link information pertinent to banner ads contained within said first URL 1 in intelligent browser cache **204** as illustrated in step **304**. In step **306**, the individual visits a second URL 2 and as previously discussed, intelligent browser cache **204** maintains information related to banner ads contained within the second URL 2. In step **308**, the individual revisits the first URL 1. The system therefore in step **310**, fetches one or more previous pages associated with (URL 1) from cache and proceeds in step **312** to compute the difference between the previously stored web page(s) (URL1) and the new web page(s) (URL2 ) in terms of their hyperlinks. In step **314**, the system displays one or more windows of ads, both from the old and new web pages. An illustration of such a display is shown in Figure 3b where old ads are represented in window **320** and the new ads are represented in window **322**. Specific ad window sizes, placement or the number thereof are not critical to practicing of the invention. For instance, ads could also be displayed in sorted order based on words in the links or words displayed. Referring back to figure 3a, in step **316**, the user selects an ad from

5

10

20

## 5

10